WHAT IS CLAIMED IS:

5

10

15

25

- 1. A friction force measurement apparatus measuring friction force between a fixed member fixed on a main body of a magnetic tape drive and a magnetic tape abrading the fixed member, the apparatus comprising:
- a vibration detector which is joined with said fixed member and a vicinity of the fixed member and detects a vibration in abrasion of said magnetic tape with said fixed member; and
- a calculation device which calculates the friction force between said fixed member and said magnetic tape based on a signal from said vibration detector.
- 2. A friction force measurement apparatus according to claim 1, wherein a vibration input unit in which vibration of said vibration detector is input is directly contacted with said fixed member.
- 3. A friction force measurement apparatus according to claim 1, wherein a low pass filter of which cutoff frequency is not less than 50 kHz is equipped between said vibration detector and said calculation device.
 - 4. A friction force measurement apparatus according to claim 2, wherein a low pass filter of which cutoff frequency is not less than 50 kHz is equipped between said vibration detector and said calculation device.
- 5. A friction force measurement apparatus according to claim 1, wherein a recording device recording friction force calculated by said calculation device with time is equipped.
 - 6. A friction force measurement apparatus according to claim 2, wherein a recording device recording friction force calculated by said calculation device with time is equipped.
 - 7. A friction force measurement apparatus according to claim 3, wherein a

recording device recording friction force calculated by said calculation device with tim is equipped.

- 8. A friction force measurement apparatus according to claim 1, wherein said fixed member is a magnetic head.
- 9. A friction force measurement apparatus according to claim 2, wherein said fixed member is a magnetic head.
 - 10. A friction force measurement apparatus according to claim 3, wherein said fixed member is a magnetic head.
- 11. A friction force measurement apparatus according to claim 1, wherein said vibration detector is an acoustic emission sensor.

10

20

- 12. A friction force measurement apparatus according to claim 2, wherein said vibration detector is an acoustic emission sensor.
- 13. A friction force measurement apparatus according to claim 3, wherein said vibration detector is an acoustic emission sensor.
- 14. A friction force measurement apparatus according to claim 1, wherein said fixed member is a guide portion regulating a width direction of a magnetic tape.
 - 15. A friction force measurement apparatus according to claim 1, wherein said fixed member is a guide portion regulating a width direction of a magnetic tape.

(

- 16. A friction force measurement apparatus according to claim 2, wherein said fixed member is a guide portion regulating a width direction of a magnetic tape.
- 17. A friction force measurement apparatus according to claim 3, wherein said fixed member is a guide portion regulating a width direction of a magnetic tape.

- 18. A friction force measurement apparatus according to claim 1, wherein said vibration detector is pressed into a head of a screw.
- 19. A friction force measurement apparatus according to claim 2, wherein said vibration detector is pressed into a head of a screw.
- 5 20. A friction force measurement apparatus according to claim 3, wherein said vibration detector is pressed into a head of a screw.